

PHILCO CORPORATION

OF CANADA LIMITED

TORONTO
CANADA

March 2, 1942.

TO ALL MEMBERS OF RADIO MANUFACTURER'S SERVICE:

A BRAND OF NEW SERVICE FOR R. M. S. MEMBERS !

Starting with the April issue of the Philco Serviceman, an entirely new feature will appear. This will be known as the R.M.S. Member's Corner-- and it will be just as good, and just as big as YOU make it. The Philco Serviceman is YOUR magazine, and we want you to feel free to contribute to its columns in any way you wish.

As suggestions for contributions to the R.M.S. Member's Corner, we would welcome:

Service Tips or suggestions

Service Short Cuts

Unusual Service Experiences

Description of service panels, tool kits, work benches etc., that have proven their value to you.

The corner can be the meeting place for R.M.S. members--if you wish, you can insert a small advertisement offering equipment for sale or purchase, employment, or whatever you wish. Come on Fellows! Its yours! Let's all work together to make the Philco Serviceman the greatest possible help to R.M.S. members. Better Service helps all of us.

New Philco Service Bulletin - Included with this mailing is the new Service Bulletin for Philco Model 55 Receiver.

New Catalogue Pages - Also included is Catalogue Sheet Section X, Pages 1 and 2. This new Catalogue Sheet gives the prices of all parts listed in Sections VIII and IX, and supercedes the 16 mimeographed price sheets dated July 2, 1941. Please destroy these old sheets.

Yours very truly,
PHILCO CORPORATION OF CANADA LIMITED

Chas. O. Baldwin

Manager

Parts and Service Division

C. O. Baldwin
ES

March 2, 1942

YOU WERE INQUIRING -----
(Suggestions sent in by R.M.S. members)

28. Why we hadn't printed full data on Philco Black Bakelite Condensers. This is now being prepared in the form of a new Philco Loose Leaf Parts Catalogue Page.
29. If extra copies were available of missing or worn pages of the Philco Loose Leaf Parts Catalogue. Yes, extra pages are readily available on request, either from your Philco Distributor, or direct from R.M.S. Central Headquarters, 1244 Dufferin Street, Toronto. Check over your catalogues now to see if you have all the sheets listed here:

Introductory Sheet			
Section <u>I</u>	Pages 1,2,3,4	all dated	7/41
Section <u>II</u>	" 1 and 2	" "	11/41
Section <u>III</u>	" 3,4,5,6,7,8	" "	XII/41
Section <u>III</u>	" 1,2,3,4	" "	4-41
Section <u>IV</u>	" 1,2,3,4	" "	3-41
Section <u>V</u>	" 1 and 2	" "	4-41
Section <u>VI</u>	" 1,2,3,4	" "	II/42
Section <u>VII</u>	" 1 and 2	" "	4-41
Section <u>VII</u>	" 3 and 4	" "	II/42
Section <u>VII</u>	" 5,6,7,8,11,12,13, 14,15,16,17,18	" "	8/41
Section <u>VII</u>	" 21 and 22	" "	4-41
Section <u>VII</u>	" 23,24,25,26	" "	5-41
(Note that Section VII, 9,10,19,20 are not yet printed)			
Section <u>VIII</u>	Pages 1,2,3,4,5	all dated	II/42
Section <u>IX</u>	" 1,2,3	" "	II/42
Section <u>X</u>	(Prices of parts in VIII and IX)		

(continued)

30. If we could give you any satisfactory explanation for electrolytic condensers going bad. The only reasons that we know of are abuse, (such as overvoltage being applied), or the gradual drying out of the active chemical elements in the electrolyte.
31. If the switching arrangements on the .050 Tube Tester could be simply enough explained that each owner could dope out his own setting for new tube types. We are afraid that this switching arrangement, while it is extremely simple to use, cannot be described in such terms that it would be safe to let every owner set up his own settings. We will continue to publish in the Philco Serviceman settings of such new tube types as come to our attention.
32. Why we don't publish data on Frequency Modulation. The main reason is that it does not appear that F.M. is going to be a factor in the Canadian radio service business for the duration, at least. When it does, you can be sure R.M.S. will do everything possible to bring you up to date. There are now a number of worth-while text books about F.M. on the market, which the serious student will find well worth his while studying.
33. If the Standard R.M.S. Labour Charges will be available in pads for use with rubber stamps in smaller quantities. The only suggestion that we can make here is to use the R.M.S. Vest Pocket standard labour charge card, PR391V, which is available from your Philco distributor.
34. If there was a subscription rate for the Philco Serviceman. No, the Philco Serviceman is absolutely free, and reaches you with the compliments of your Philco distributor because he appreciates your patronage. If you are not receiving your copies regularly, check with your Philco Distributor.
35. Why net prices as well as list prices appear in the Philco Parts Catalogue. List prices are shown on all items which you will probably be re-selling. Net prices are shown on all items that you would probably purchase for your own shop use.

PHILCO HIGH EFFICIENCY TUBES

NOTICE how PHILCO has simplified the Tube Stock problem for you. 553 Tube types are listed below— 218 types are all you need carry to supply all 553.

DEALER PRICE LIST Effective July, 1, 1942

Type	Suggested List Incl. all Taxes	Dealers' Net Incl. all Taxes	Type	Suggested List Incl. all Taxes	Dealers' Net Incl. all Taxes	Type	Suggested List Incl. all Taxes	Dealers' Net Incl. all Taxes	Type	Suggested List Incl. all Taxes	Dealers' Net Incl. all Taxes
01A	\$1.45	\$.88	1LA6E	3.10	1.66	6B7S	Subst. 6B7E		6L7	Subst. 6L7EG	
0A4G	3.20	1.75	1LB4E	3.10	1.66	6B8	Subst. 6B8EG		6L7EG	2.30	1.37
0Z4	2.65	1.35	1LD5E	3.10	1.66	6B8EG	2.25	1.29	6L7MG	Subst. 6L7EG	
0Z4G	2.30	1.34	1LE3	3.10	1.66	6B8GT	Subst. 6B8EG		6N6	Subst. 6N6G	
1	Subst. IV		1LH4	3.10	1.66	6C5	Subst. 6C5GT/G		6N6G	3.55	1.82
1A1	2.80	1.60	1LN5E	3.10	1.66	6C5G	Subst. 6C5GT/G		6N6GT	Subst. 6N6G	
1A1/5E1	Subst. 1A1		1N5EG	2.30	1.47	6C5GT	Subst. 6C5GT/G		6N6MG	Subst. 6N6G	
1A4E	2.30	1.38	1N5GT	Subst. 1N5EG		6C5GT/G	1.75	.93	6N7	2.25	1.30
1A4P	Subst. 1A4E		1P5G	Subst. 1D5EG		6C5MG	Subst. 6C5GT/G		6N7G	2.25	1.30
1A4T	Subst. 1A4E		1P5GT	Subst. 1D5EG		6C6E	1.50	1.01	6N7GT	Subst. 6N7	
1A5G	Subst. 1A5EGT/G		1P5M	Subst. 1D5EG		6C8G	2.30	1.21	6N7MG	Subst. 6N7	
1A5GT	Subst. 1A5EGT/G		1Q5G	Subst. 1Q5EGT/G		6D6E	1.50	.94	6P5G	1.25	.84
1A5GT/1A5G	Subst. 1A5EGT/G		1Q5GT	Subst. 1Q5EGT/G		6D8EG	2.30	1.63	6P5GT	Subst. 6P5G	
1A5EGT/G	1.80	1.17	1Q5GT/1Q5G	1Q5EGT/G		6E6	2.95	1.49	6P5GT/6P5G	Subst. 6P5G	
1A6E	2.25	1.35	1Q5EGT/G	2.50	1.75	6F5	Subst. 6F5GT		6P5M/86M	Subst. 6P5G	
1A6S	Subst. 1A6E		1V	1.45	.90	6F5G	Subst. 6F5GT		6Q6	Subst. 6T7G	
1A7EG	2.30	1.45	2A3	3.60	1.95	6F5GT	1.60	.94	6Q6G	Subst. 6T7G	
1A7GT	Subst. 1A7EG		2A3H	Subst. 2A3		6F5M	Subst. 6F5GT		6Q6G/6T7G	Subst. 6T7G	
1B4E	2.35	1.49	2A4G	3.50	2.10	6F5MG	Subst. 6F5GT		6Q7	Subst. 6Q7G	
1B4/951	Subst. 1B4E		2A5E	1.50	1.11	6F6	Subst. 6F6EG		6Q7G	1.35	.90
1B4P	Subst. 1B4E		2A6	1.50	1.10	6F6EG	1.50	1.07	6Q7GT	1.70	1.15
1B4T	Subst. 1B4E		2A6S	Subst. 2A6		6F6GT	Subst. 6F6EG		6Q7MG	Subst. 6Q7G	
1B5	Subst. 1B5/25S		2A7E	1.85	1.28	6F6M	Subst. 6F6EG		6R7	Subst. 6R7GT	
1B5/25S	1.85	1.08	2A7S	Subst. 2A7E		6F6MG	Subst. 6F6EG		6R7G	Subst. 6R7GT	
1C1	280	1.60	3LE4E	2.80	1.57	6F7E	2.70	1.58	6R7GT	1.45	.95
1C5G	Subst. 1C5EGT/G		3Q5G	Subst. 3Q5EGT/G		6F7M	Subst. 6T7G		6R7M	Subst. 6R7GT	
1C5GT	Subst. 1C5EGT/G		3Q5GT	Subst. 3Q5EGT/G		6F7S	Subst. 6F7E		6R7MG	Subst. 6R7GT	
1C5GT/1C5G	Subst. 1C5EGT/G		3Q5EGT/G	2.50	1.75	6F8G	2.30	1.18	6S7	Subst. 6S7EG	
1C5EGT/G	2.10	1.25	5T4	3.00	1.83	6FM5G	Subst. 6F5GT		6S7EG	2.30	1.60
1C6E	2.25	1.34	5U4G	1.75	1.03	6G6EG	2.30	1.60	6SA7	Subst. 6SA7EGT	
1C6S	Subst. 1C6E		5V4G	2.90	1.75	6H4G	Subst. 6H4GT		6SA7EGT	1.60	1.00
1C7EG	2.35	1.49	5W4	Subst. 5W4GT/G		6H4GT	3.10	1.85	6SC7	2.20	1.35
1C7M	Subst. 1C7EG		5W4G	Subst. 5W4GT/G		6H6	Subst. 6H6GT/G		6SC7GT	Subst. 6SC7	
1D1	2.80	1.60	5W4GT	Subst. 5W4GT/G		6H6G	Subst. 6H6GT/G		6SF5	1.80	1.08
1D5EG	2.35	1.49	5W4GT/5W4G	Subst. 5W4GT/G		6H6GT	Subst. 6H6GT/G		6SF5GT	Subst. 6SF5	
1D5GP	Subst. 1D5EG		5W4GT/G	1.50	.95	6H6GT/6H6G	6H6GT/G		6SK7	Subst. 6SK7EGT	
1D5GT	Subst. 1D5EG		5X4G	1.85	1.12	6H6GT/G	1.75	1.18	6SK7G	Subst. 6SK7EGT	
1D7EG	2.30	1.38	5Y3	Subst. 5Y3G		6H6MG	Subst. 6H6GT/G		6SK7EGT	1.60	1.00
1E4G	2.25	1.30	5Y3G	1.10	.70	6H7M	Subst. 6K6EG		6SQ7	Subst. 6SQ7GT/G	
1E5EG	2.35	1.50	5Y3GT	Subst. 5Y3G		6H7S	Subst. 6K6EG		6SQ7G	Subst. 6SQ7GT/G	
1E5GP	Subst. 1E5EG		5Y3GT/5Y3G	Subst. 5Y3G		6J5	Subst. 6J5GT/G		6SQ7GT	Subst. 6SQ7GT/G	
1E5GT	Subst. 1E5EG		5Y4	Subst. 5Y4G		6J5G	Subst. 6J5GT/G		6SQ7GT/G	1.50	.95
1E7EG	3.80	2.34	5Y4G	1.10	.70	6J5GT	Subst. 6J5GT/G		6T6M	Subst. 6K7EG	
1F1	2.85	1.65	5Z3	1.45	.91	6J5GT/G	1.55	1.05	6T6MG	Subst. 6K7EG	
1F4E	1.85	1.17	5Z4	2.25	1.45	6J5GX	Subst. 6J5GT/G		6T7G	2.25	1.50
1F5EG	2.20	1.50	5Z4G	Subst. 5Z4		6J5M	Subst. 6J5GT/G		6T7G/6Q6G	Subst. 6T7G	
1F6E	2.90	1.70	5Z4MG	Subst. 5Z4		6J7	Subst. 6J7EG		6U7EG	1.50	1.08
1F7EG	2.90	1.70	6A3	2.95	1.61	6J7EG	1.50	.96	6V6	Subst. 6V6EGT/G	
1F7GH	Subst. 1F7EG		6A4E	2.30	1.42	6J7GT	Subst. 6J7EG		6V6G	Subst. 6V6EGT/G	
1F7GV	Subst. 1F7EG		6A4/LA	Subst. 6A4E		6J7M	Subst. 6J7EG		6V6GT	Subst. 6V6EGT/G	
1F7M	Subst. 1F7EG		6A5G	4.75	2.90	6J7MG	Subst. 6J7EG		6V6GT/6V6G	6V6EGT/G	
1G4G	Subst. 1G4GT/G		6A6	2.30	1.33	6J8EG	2.70	1.58	6V6EGT/G	1.85	1.22
1G4GT	Subst. 1G4GT/G		6A6X	Subst. 6A6		6J8M	Subst. 6J8EG		6V6GX	Subst. 6V6EGT/G	
1G4GT/1G4G	Subst. 1G4GT/G		6A7E	1.60	1.15	6K5G	Subst. 6K5GT		6V7G	2.25	1.34
1G4GT/G	1.85	1.25	6A7M	Subst. 6A8EG		6K5GT	1.75	1.18	6V7M	Subst. 6V7G	
1G5EG	2.30	1.45	6A7S	Subst. 6A7E		6K6EG	1.60	1.10	6W5	Subst. 6X5GT/G	
1G6G	Subst. 1G6GT/G		6A8	Subst. 6A8EG		6K6GT	Subst. 6K6EG		6W5G	Subst. 6X5GT/G	
1G6GT	Subst. 1G6GT/G		6A8EG	1.65	1.10	6K6GT/6K6G	6K6EG		6W7EG	2.35	1.75
1G6GT/1G6G	Subst. 1G6GT/G		6A8GT	Subst. 6A8EG		6K6M/41M	Subst. 6K6EG		6X5	Subst. 6X5GT/G	
1G6GT/G	2.35	1.50	6A8MG	Subst. 6A8EG		6K6MG	Subst. 6K6EG		6X5G	1.85	1.25
1H4G	1.45	.75	6AB6G	Subst. 6N6G		6K7	Subst. 6K7EG		6X5GT	Subst. 6X5GT/G	
1H5G	Subst. 1H5GT		6AE6G	2.10	1.25	6K7EG	1.55	1.05	6X5GT/6X5G	6X5GT/G	
1H5GT	1.80	1.17	6AF5G	2.20	1.29	6K7GT	Subst. 6K7EG		6X5GT/G	1.55	1.05
1H6G	1.85	1.30	6B4G	2.85	1.63	6K7M	Subst. 6K7EG		6X5MG	Subst. 6X5G	
1J1	1.75	1.01	6B5	3.80	2.33	6K8	Subst. 6A8EG		6Y7G	2.75	1.50
1J6G	2.10	1.12	6B6	Subst. 6Q7GT		6K8G	Subst. 6A8EG		6Z3	Subst. 1V	
1KR1	Subst. 1V		6B6G	Subst. 6Q7GT		6K8GT	Subst. 6A8EG		6Z4	Subst. 84	
1LA4E	3.10	1.66	6B6M	Subst. 6Q7GT		6L5G	1.80	1.18	6Z4/84	Subst. 84	
			6B7E	2.30	1.30	6L6	Subst. 6L6EG		6Z7G	2.75	1.45
			6B7M	Subst. 6B8EG		6L6EG	2.90	1.78	6ZY5G	1.80	1.09
						6L6GX	Subst. 6L6EG		7A4	2.05	1.05
									7A5E	2.05	1.05

PHILCO TUBES ARE GUARANTEED FOR 90 DAYS

PHILCO HIGH EFFICIENCY TUBES

Type	Suggested List Incl. all Taxes	Dealers' Net Incl. all Taxes	Type	Suggested List Incl. all Taxes	Dealers' Net Incl. all Taxes	Type	Suggested List Incl. all Taxes	Dealers' Net Incl. all Taxes	Type	Suggested List Incl. all Taxes	Dealers' Net Incl. all Taxes
7A6	2.05	1.05	25Z5	1.45	.91	51S	Subst. 35E		117Z6GC	Subst. 117Z6GT/G	
7A7E	2.05	1.05	25Z5MG	Subst. 25Z6GT/G		51/35	Subst. 35E		117Z6GT	Subst. 117Z6GT/G	
7A7LM	Subst. 7A7E		25Z6	Subst. 25Z6GT/G		53	2.30	1.49	117Z6GT/G	2.65	1.60
7A8E	2.05	1.05	25Z6G	Subst. 25Z6GT/G		55	1.80	1.17	182A	Subst. 71A	
7B4	2.05	1.05	25Z6GT	Subst. 25Z6GT/G		55S	Subst. 55		182B	3.25	2.17
7B5E	2.05	1.05	25Z6GT/G	1.50	1.08	56	1.25	.74	182B/482B	Subst. 182B	
7B5LT	Subst. 7B5E		25Z6MG	Subst. 25Z6GT/G		56A	Subst. 76		183	3.25	2.17
7B6	2.05	1.05	26	1.05	.61	56S	Subst. 56		183/483	Subst. 183	
7B6LM	Subst. 7B6		27	1.05	.62	56AS	Subst. 76		210	Subst. 10	
7B7E	2.05	1.05	27HM	Subst. 56		57E	1.50	1.07	230S	Subst. 30	
7B8E	2.05	1.05	27S	Subst. 27		57S	Subst. 57E		233S	Subst. 33E	
7B8LM	Subst. 7B8E		30	1.45	.75	57A	Subst. 6C6E		234S	Subst. 34E	
7C5E	2.05	1.05	30S	Subst. 30		57AS	Subst. 6C6E		264	Subst. 864	
7C5LT	Subst. 7C5E		31	1.45	.90	58E	1.50	1.08	288	Subst. 83V	
7C6	2.05	1.05	32E	2.20	1.36	58A	Subst. 6D6E		401	Subst. 01A	
7C7E	2.05	1.05	32S	Subst. 32E		58AS	Subst. 6D6E		427	Subst. 27	
7E6	2.05	1.05	33E	2.30	1.18	58S	Subst. 58E		482A	Subst. 71A	
7E7E	2.70	1.50	33S	Subst. 33E		59	2.75	1.46	482B	Subst. 182B	
7F7	2.70	1.47	34E	2.25	1.35	59S	Subst. 59		483	Subst. 183	
7G7	Subst. 1232E		34M	Subst. 1D5EG		64	Subst. 36E		484	Subst. 485	
7G7/1232	Subst. 1232E		34S	Subst. 34E		64A	Subst. 36E		485	2.85	1.68
7J7E	3.60	1.98	35E	1.50	.97	65	Subst. 39/44E		551	Subst. 35E	
7L7E	2.70	1.57	35/51	Subst. 35E		65A	Subst. 39/44E		585	Subst. 50	
7N7	3.10	1.70	35A	Subst. 35E		67	Subst. 37		586	Subst. 50	
7Y4	2.05	1.05	35A5E	2.05	1.05	67A	Subst. 37		600	Subst. 6X5G	
7Z4	2.10	1.20	35A5LT	Subst. 35A5E		68	Subst. 38E		885	5.90	3.56
10	4.90	2.55	35L6EG	1.60	.94	68A	Subst. 38E		950	Subst. 1F4E	
12	Subst. 12A		35L6GT	Subst. 35L6EG		71	Subst. 71A		951	Subst. 1B4E	
12A	1.50	1.06	35S/51S	Subst. 35/51E		71A	1.40	.84	951/1B4	Subst. 1B4E	
12A5E	3.85	2.08	35Z3	2.00	1.02	71B	Subst. 71A		986	Subst. 83	
12A7E	3.00	1.74	35Z3LT	Subst. 35Z3		75	1.35	.86	1221	Subst. 6C6E	
12F5GT	1.50	1.07	35Z4GT	1.35	.90	75M	Subst. 6Q7G		1232E	3.70	2.08
12J5G	Subst. 12J5GT		35Z5G	Subst. 35Z5GT/G		75S	Subst. 75		AC22	Subst. 24AE	
12J5GT	1.45	.93	35Z5GT	Subst. 35Z5GT/G		76	1.25	.67	AC30	Subst. 56	
12Q7G	Subst. 12Q7GT		35Z5GT/G	1.50	1.12	77E	1.50	1.02	AC45	Subst. 45	
12Q7GT	1.45	.95	36A	Subst. 36E		77M	Subst. 6J7EG		AD	Subst. 1V	
12SQ7	2.25	1.30	36E	1.50	1.02	77M/6J7M	Subst. 6J7EG		AF	Subst. 82	
12SF5	Subst. 12SF5GT		37	1.25	.82	78E	1.40	.88	AG	Subst. 83	
12SF5GT	1.80	1.17	37A	Subst. 37		78S	Subst. 78E		AX	Subst. 01A	
12SQ7	Subst. 12SQ7GT/G		38A	Subst. 38E		79	2.25	1.32	D 1/2	Subst. 81	
12SQ7GT	12SQ7GT/G		38E	1.80	1.14	80	1.05	.58	D1	Subst. 80	
12SQ7GT/G	1.55	1.00	39	Subst. 39/44E		80M	Substitute 83		DE1	Subst. 27	
12SR7	2.05	1.35	39A	Subst. 39/44E		81	2.90	1.85	DV2	Subst. 01A	
12Z3	1.50	1.08	39/44E	1.45	.97	81M	Subst. 81		DV5	Subst. 01A	
13	Subst. 80		40	2.30	1.28	82	1.85	1.12	G	Subst. 40	
13B	Subst. 80		41E	1.30	.83	82V	Subst. 82		HZ50	Subst. 12Z3	
14B6	2.20	1.15	41M	Subst. 6K6EG		83	1.85	1.33	K27	Subst. 27	
14Z3	Subst. 12Z3		41S	Subst. 41E		83V	2.95	1.68	KR1	Subst. 1V	
16	Subst. 81		42E	1.30	.83	84	1.80	1.19	KR5	Subst. 6A4E	
16B	Subst. 81		42S	Subst. 42E		84M	Subst. 6X5G		KR25	Subst. 2A5E	
19	2.10	1.12	43E	1.80	1.12	84S	Subst. 84		KR28	Subst. 84	
22AC	Subst. 24AE		43MG	Subst. 25A6EG		84/6Z4	Subst. 84		LA	Subst. 6A4E	
24	Subst. 24AE		44	Subst. 39/44E		85	1.45	.91	P861	Subst. 84	
24A	Subst. 24AE		45	1.25	.70	85M	Subst. 6R7G		PZ	Subst. 47E	
24AE	1.45	.97	45A	Subst. 45		85S	Subst. 85		PZH	Subst. 2A5E	
24S	Subst. 24AE		46	1.85	1.20	86M	Subst. 6P5G		R100	Subst. 81	
25A6E	2.95	1.54	46S	Subst. 46		86S	Subst. 76		R200	Subst. 81	
25A6EG	1.80	1.08	47E	1.80	1.15	87S	Subst. 6C6E		RAC30	Subst. 30	
25A6GT	Subst. 25A6EG		47S	Subst. 47E		88	Subst. 83		RAC32	Subst. 32E	
25A6MG	Subst. 25A6EG		49	1.85	1.12	88M	Subst. 6K7EG		RAC45	Subst. 45	
25AC5G	2.85	1.69	50	3.85	2.30	88S	Subst. 78E		R30	Subst. 56	
25AC5GT	Subst. 25AC5G		50L6G	Subst. 50L6EGT		89	1.50	.94	RE1	Subst. 80	
25B6EG	2.90	1.50	50L6EGT	2.10	1.17	89S	Subst. 89		RE2	Subst. 81	
25L6	Subst. 25L6EGT/G		50Y6G	Subst. 50Y6GT/G		95	Subst. 2A5E		SO2	Subst. 50	
25L6EG	2.20	1.38	50Y6GT	Subst. 50Y6GT/G		96	Subst. 1V		XXD	2.45	1.47
25L6GT	Subst. 25L6EGT/G		50Y6GT/G	1.75	1.18	98	Subst. 84		XXL	2.45	1.50
25L6EGT/G	2.20	1.38	50Z7G	2.10	1.25	112A	Subst. 12A				
25S	Subst. 1B5/25S		51	Subst. 35E		117Z6G	Subst. 117Z6GT/G				

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

PHILCO TUBES ARE GUARANTEED FOR 90 DAYS

PHILCO ELECTROLYTIC CONDENSERS

TYPES AND SIZES FOR ALL REPLACEMENTS



CLAMP MOUNTING ELECTROLYTICS WITH TERMINAL LUGS

A complete line of heavy duty, wet and dry electrolytic condensers in single and multiple section. Readily mounted in chassis with one of the two sizes of mounting clamps shown below, with or without insulator.

SINGLE SECTION — WET

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2174	4	470	1 3/8	4	\$1.20
7556	6	400	1 3/8	4 1/2	1.15
30-2021	6	475	1 3/8	4 1/2	1.20
30-2023	8	450	1 3/8	4	1.35
30-2211	8	475	1 3/8	3 1/8	1.40
30-2075	12	320	1 3/8	4 7/8	1.20
30-2235	12	450	1 3/8	4	1.35
30-2210	12	475	1 3/8	3 1/8	1.50
30-2246	16	150	1 3/8	3 3/8	.90
30-2212	16	350	1 3/8	3 1/8	1.25
30-2194	16	400	1 3/8	4	1.45
30-2200	18	475	1 3/8	3 1/8	1.80
30-2531	25	250	1 3/8	3 1/2	1.50
30-2532	25	300	1 3/8	3 1/2	1.80
30-2219	25	475	1 3/2	4 1/8	1.95
30-2237	40	150	1 3/8	3 1/8	1.20

SINGLE SECTION — DRY

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2158	3	150	1 3/8	2 3/4	.90
30-2144	4	200	1	2 1/4	1.15
30-2007	4	250	1	2 1/4	1.25
30-2098	4	450	1 3/8	3 1/4	1.35
30-2132	5	50	1 3/8	3	.85
30-2097	6	250	1	3 3/8	1.35
8095	6	450	1 3/8	3 3/4	1.50
30-2096	8	250	1 3/8	3 3/4	1.50
30-2108	8	450	1	4 3/8	1.60
30-2069	8	500	1 3/8	5 1/4	1.95
30-2095	10	250	1 3/8	3 3/4	1.80
30-2094	10	450	1 3/8	4 1/4	1.70
30-2001	12	150	1	2 1/8	1.40
30-2091	12	450	1 3/8	4 1/4	1.95
30-2131	12	500	1 3/8	5 1/4	2.25
30-2126	16	350	1 3/8	4 1/4	2.10
30-2128	50	100	1 3/8	4 3/4	2.15

TWO SECTION — DRY

Common Negative

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2104	1-4	450-450	1 3/8	2 3/4	1.75
30-2171	2-8	200-200	1 3/8	2 3/4	2.10
30-2002	3-12	100-100	1	2 1/4	1.55
30-2170	4-4	300-400	1 3/8	2 3/4	1.80
30-2157	4-8	150-150	1 3/8	2 3/4	1.55
30-2129	4-8	300-450	1 3/8	3 3/4	2.00
30-2107	4-8	350-350	1 3/8	3 3/4	1.95
30-2150	4-8	350-350	1 3/8	3 3/4	1.95
30-2083	6-12	150-150	1 3/8	3 3/4	1.75
30-2138	8-8	200-200	1 3/8	3 3/4	2.60
30-2079	8-8	475-475	1 3/8	5 1/4	2.40
30-2143	8-10	100-25	1	2 1/8	1.50
30-2046	8-10	475-50	1 3/8	4 1/4	2.10
30-2123	8-10	475-100	1 3/8	4 1/4	2.15
30-2140	8-16	450-450	1 3/8	5 1/4	3.00
30-2173	10-10	25-150	1 3/8	2 3/4	1.50
30-2125	10-10	25-150	1 3/8	2 3/4	1.50
30-2166	10-20	25-150	1 3/8	3 3/4	1.95
30-2163	10-20	50-475	1 3/8	5 3/4	2.40

MULTIPLE SECTION — DRY


Common Negative

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2029	1-1-2	300-350-300	1 3/8	2 3/4	2.25
30-2080	1-1-2	450-450-300	1 3/8	2 3/4	2.35
30-2114	1-2-2	450-450-300	1 3/8	2 3/4	2.40
30-2122	1-2-3	350-250-450	1 3/8	2 3/4	2.80
30-2162	2-2-4	100-150-150	1 3/8	1 3/4	1.80
30-2133	2-2-8	100-100-350	1 3/8	2 3/4	1.90
30-2161	2-2-8	100-150-150	1 3/8	2 3/4	1.95
30-2336	2-2-8	150-500-500	1 3/8	4 1/4	3.00
30-2159	2-3-3	250-475-475	1 3/8	3 1/4	2.25
30-2169	2-3-8	300-475-475	1 3/8	4 1/4	2.10
30-2127	2-4-8	150-150-100	1 3/8	2 3/4	1.95
30-2062	2-8-10	475-475-50	1 3/8	4 3/4	2.40
30-2147	4-10-10	150-150-25	1 3/8	2 3/4	2.25
30-2073	8-8-10	475-475-50	1 3/8	5 3/4	2.85
30-2148	10-16-16	25-150-150	1 3/8	4 1/4	2.40
30-2078	1-1-1-2	400-300-350-300	1 3/8	3 3/4	3.30
30-2130	1-1-2-2	450-450-200-450	1 3/8	2 3/4	2.60
30-2121	1-1-2-3	350-350-300-450	1 3/8	3 3/4	3.00

TWO SECTION — DRY

Common Positive

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2152	8-8	350-350	1 3/8	4 1/4	2.10



CLAMP MOUNTING ELECTROLYTICS WITH LEADS

SINGLE SECTION — DRY

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2337	4	250	1	2 1/4	\$.85
30-2340	4	450	1	2 1/4	.95
30-2338	8	250	1	2 1/4	.95
30-2341	8	450	1	2 1/4	1.00
30-2339	12	250	1	2 1/4	1.00
30-2277	16	150	1 3/8	3 1/4	1.50
30-2271	16	350	1 3/8	4 1/4	2.40
30-2228	25	475	1 3/8	6	3.00
30-2256	40	150	1 3/8	4 1/8	2.10

TWO SECTION — DRY

Common Negative

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2243	3-4	575-400	1 3/8	3 1/4	1.80
30-2224	3-10	150-25	1 3/8	3 1/4	1.60
30-2217	4-8	350-475	1 3/8	4 1/4	2.05
30-2291	8-8	350-475	1 3/8	4 3/4	2.15
30-2201	8-10	475-50	1 3/8	3 3/4	2.00
30-2263	10-12	50-450	1 3/8	4 3/4	2.10
30-2183	10-20	50-475	1 3/8	4 3/4	2.40
30-2296	10-40	25-200	1 3/8	5 3/4	2.85
30-2203	16-16	150-150	1 3/8	5 3/4	1.95
30-2268	16-16	200-200	1 3/8	5 3/4	2.10
30-2294	50-50	150-150	1 3/8	4 3/4	3.30

TWO SECTION — DRY

Common Positive

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2221	16-16	200-200	1 3/8	4 3/4	1.15

MULTIPLE SECTION — DRY

Common Negative

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2177	1-2-2	450-450-300	1 3/8	2 3/4	2.10
30-2241	2-2-4	100-150-150	1 3/8	2 3/4	1.80
30-2249	2-3-8	300-475-475	1 3/8	4 3/4	2.10
30-2213	4-8-10	400-400-25	1 3/8	4 1/4	2.10
30-2232	6-8-8	475-300-475	1 3/8	6	2.75
30-2192	8-8-10	475-475-50	1 3/8	5 3/4	2.70
30-2239	10-16-16	25-150-150	1 3/8	4 1/4	2.40
30-2298	10-16-16	25-200-200	1 3/8	5 1/4	2.80
30-2226	2-4-8-8	200-200-200-200	1 3/8	5 3/4	3.60
30-2247	1-1-2-2-10	450-450-300-450-50	1 3/8	4 1/4	2.70

MOUNTING CLAMPS

FOR SURFACE MOUNTING



Part No.	Description	List Price
56-1050	1" diameter mounting clamp	\$.015
6440	1 3/8" - 1 1/2" diameter mounting clamp	.05
27-7194	Insulator to insulate condenser from clamp	.02

THE STANDARD PARTS FOR RADIO MANUFACTURERS SERVICE

PHILCO ELECTROLYTIC CONDENSERS

TYPES AND SIZES FOR ALL REPLACEMENTS

RECTANGULAR DRY ELECTROLYTICS

IN CARDBOARD AND METAL CASES

For mounting on any flat surface

CARDBOARD CASE — SINGLE SECTION

Part No.	Cap. Mfd.	Work Volts	Height (in.)	Width (in.)	Length (in.)	List Price
30-2042	4	250	1 1/16	1 1/8	2 3/8	\$.85
30-2279	4	450	3/4	3/4	2 1/2	1.30
30-2064	4	450	5/8	1 5/16	4 1/8	.95
30-2043	6	245	1 1/16	1 1/8	2 7/8	.95
30-2065	6	450	7/8	1 5/16	4 1/8	1.15
30-2059	8	250	1 1/8	1 1/2	2 1/4	1.15
30-2221	8	250	1 5/16	1 1/8	3 3/4	1.15
30-2066	8	450	7/8	1 1/4	4 1/8	1.25
30-2220	8	450	1 1/16	1 1/8	3 1/4	1.25
30-2044	10	245	1 1/8	1 3/8	2 1/2	1.25
30-2038	10	450	1 1/4	1 5/16	4 1/8	1.50
30-2067	20	15	3/4	7/8	2 1/2	1.25
30-2084	25	25	3/4	1 1/8	2 1/2	1.25

CARDBOARD CASE

TWO SECTION — COMMON NEGATIVE

30-2284	4-4	450-450	1 1/8	1	2 3/4	1.65
30-2206	8-8	450-450	1	1	2 3/4	1.95

CARDBOARD CASE

TWO SECTION — COMMON POSITIVE

30-2234	8-8	450-450	1 3/8	1 1/8	4	1.95
---------	-----	---------	-------	-------	---	------

METAL CASE — SINGLE SECTION

30-2120	8	350	1	1	2 7/8	1.65
30-2110	8	350	1	1	2 7/8	2.30
7440	10	25	3/4	1 1/4	2	1.00

METAL CASE

TWO SECTION — COMMON NEGATIVE

30-2005	4-8	250-250	2 1/4	1 1/4	2 3/4	2.50
30-2112	4-8	400-400	2 1/4	1	2 1/2	3.00
30-2015	4-8	400-400	2 1/4	1 1/4	2 1/2	2.50
30-2004	4-8	450-450	2 5/8	1 1/4	2 1/4	2.25
30-2149	4-8	450-450	3 3/4	1	2	1.95
30-2017	8-8	450-450	4 1/2	1 1/2	2	3.15
30-2198	10-10	25-25	2 1/4	1	1	1.00

METAL CASE

TWO SECTION — COMMON POSITIVE

30-2160	4-8	200-200	3 3/4	1	2	3.00
30-2008	4-8	250-250	2 1/4	2 3/8	1 1/8	2.25
30-2134	4-8	350-350	2 1/4	1	2 1/2	2.30
30-2270	8-12	350-350	4 1/4	1	2 3/8	3.35

METAL CASE

TWO SECTION — SEPARATE LEADS

30-2102	4-4	250-250	4 1/2	1 1/2	1 1/2	3.00
30-2101	4-4	450-450	4 1/2	1 1/2	1 1/2	3.35
30-2100	8-8	250-250	4 1/2	1 1/2	1 1/2	3.75
30-2099	8-8	450-450	4 1/2	1 1/2	2	4.20

METAL CASE

FOUR SECTION — COMMON NEGATIVE

30-2154	8-10-16-16	150-25-150-150	1 1/8	2 1/2	3	4.25
---------	------------	----------------	-------	-------	---	------



SPADE BOLT MOUNTING DRY ELECTROLYTICS

Require only two small mounting holes.
Exceptionally easy to install.

SINGLE SECTION

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2367	3	150	1	2 3/8	\$1.20
30-2385	8	450	1 3/8	3 3/8	1.70
30-2387	16	150	1 3/8	3 3/8	2.20
30-2356	16	200	1 3/8	2 7/8	1.50
30-2386	16	450	1 3/8	3 7/8	2.00

TWO SECTION — COMMON NEGATIVE

61-0009	4-8	350-350	1 1/8	4 5/8	2.25
30-2317	4-8	350-475	1 3/8	3 3/8	2.40
30-2372	10-16	25-300	1 3/8	3 3/4	2.15

TWO SECTION — COMMON POSITIVE

30-2348	3-6	150-150	1	2 15/16	1.40
30-2311	4-4	350-350	1 3/8	3 3/8	1.50
61-0018	4-8	350-350	1	4 5/8	2.00
30-2323	4-8	450-450	1 3/8	3 7/8	2.00
61-0022	5-5	300-300	1 1/8	4 5/8	1.50
30-2351	8-8	150-150	1 3/8	2 1/2	1.50


MULTIPLE SECTION — COMMON NEGATIVE

30-2414	8-8-8	475-475-475	1 3/8	2 7/8	1.85
30-2488	8-12-16	400-400-400	1 3/8	2 7/8	2.60
30-2446	15-20-20	300-150-75	1 3/8	2 7/8	1.80
30-2374	5-5-10-20	150-150-150-150	1 3/8	2 7/8	3.75



MIDGET METAL CASE DRY ELECTROLYTICS

Part No.	Cap. Mfd.	Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2337	4	250	1	2 1/4	\$.85
30-2340	4	450	1	2 1/4	.95
30-2338	8	250	1	2 1/4	.95
30-2341	8	450	1	2 1/4	1.00
30-2339	12	250	1	2 1/4	1.00
30-2342	12	450	1	2 1/4	1.20



A.C. MOTOR CONDENSERS


DRY ELECTROLYTIC — CARTRIDGE TYPE

Part No.	Cap. Mfd.	A.C. Work. Voltage	Diam. (in.)	Length (in.)	List Price
30-2361	30	30	7/8	2 3/4	\$1.20
30-2377	45	30	7/8	2 3/4	1.30
30-2355	60	30	1 1/8	3 3/4	1.50

THE STANDARD PARTS FOR RADIO MANUFACTURERS SERVICE

PHILCO UNIVERSAL SPEAKERS

FOR REPLACEMENTS, EXTENSIONS AND P.A. SYSTEMS



TYPE A




TYPE B

Philco Dynamic Speakers are largely responsible for the high quality reproduction which has made Philco Radio a musical instrument of quality.

The types listed on this page are ideal for replacement use on any radio because of their unusually high efficiency. They also make ideal extension speakers.



TYPE C



TYPE D

ELECTRO-DYNAMIC SPEAKERS HOME RADIO

Part No.	Voice Coil Imped. at 400 Cycles	Field Resist. Ohms	Out. Transf. Prim. Imped.	Type	List Price
4 - 4 1/2 INCH DIAMETER					
36-1512	—	500	200	A	\$6.00
5 - 5 1/2 INCH DIAMETER					
36-1533	—	500	2000	Oval 4"x6"	6.75
36-1492	—	500	2000	A	6.00
36-1034	1.0	1140	7400	C	6.75
36-1426	1.0	1700	None	B	6.00
36-1478	3.5	1700	None	B	4.75
36-1369	—	1700	8000	D	6.00
16-0005	—	1700	9000	Oval 4"x6"	6.75
6 - 6 1/2 INCH DIAMETER					
36-1498	5.0	1075	None	D	6.75
36-1519	5.0	1075	None	D	7.15
36-1167	1.0	1140	7400	C	7.10
36-1452	5.0	1600	None	D	7.10
36-1439	5.0	2000	None	D	7.10
7 - 7 1/2 INCH DIAMETER					
36-1165	1.25	435	7200	C	8.25
36-1230	1.25	660	10000	C	8.50
36-1026	1.25	1125	5900	C	8.50
36-1087	1.25	1125	7100	C	8.50
36-1195	1.0	1140	7400	C	8.50
8 - 9 INCH DIAMETER					
36-1440	3.5	1700	None	C	9.35
36-1449	3.5	1700	None	D	8.25
36-1480	3.5	1700	None	A	9.35
9 1/2 - 10 1/2 INCH DIAMETER					
36-1513	3.5	1700	None	D	9.35
16-0004	—	1700	7000	D	10.00
16-0008	—	1700	9000	D	12.50
36-1437	5.1	2000	None	D	9.00
11 INCH DIAMETER					
36-1296	—	435	8000	D	9.50
36-1239	1.11	435	12400	D	9.00
36-1091	1.25	660	7200	C	9.50
36-1237	1.25	660	10000	C	9.50
36-1228	1.25	1125	7000	C	9.50
36-1298	—	1125	6000	D	9.50
36-1096	0.95	1140	6600	D	9.50
36-1092	2.28	1140	5700	C	9.50
36-1254	—	1140	7400	C	9.50
12 INCH DIAMETER					
36-1524	5.1	860	None	D	10.90
36-1514	5.1	1100	None	D	10.50
16-0007	—	1100	10000	D	12.50
16-0002	5.1	1100	12500	D	13.75
16-0011	—	1700	7000	D	13.00
14 INCH DIAMETER					
36-1515	5.1	860	None	D	12.75
36-1523	5.1	1100	None	D	11.25

PERMANENT MAGNET SPEAKERS

Part No.	Voice Coil Imped. at 400 Cycles	Out. Transf. Prim. Imped.	Type	List Price
5 - 5 1/2 INCH DIAMETER				
36-1476	3.0	None	A	\$8.00
36-1526	3.2	None	B	9.50
36-1490	3.0	2500	A	9.00
36-1430	8500	None	C	5.00
6 - 6 1/2 INCH DIAMETER				
36-1529	3.2	None	D	9.00
7 - 7 1/2 INCH DIAMETER				
36-1129	1.25	7000	C	9.00
8 - 9 INCH DIAMETER				
36-1432	1.25	None	C	9.00
36-1447	3.0	None	C	11.25
36-1266	5.0	None	C	12.75
36-1256	32000	None	D	7.25
9 1/2 - 10 1/2 INCH DIAMETER				
36-1534	3.0	None	D	12.00
11 INCH DIAMETER				
36-1250	5.0	10000	C	13.50

ELECTRO-DYNAMIC SPEAKERS

AUTO RADIO — 6 VOLT FIELD


Part No.	Voice Coil Imped. at 400 Cycles	Field Resist. Ohms	Out. Transf. Prim. Imped.	Type	List Price
4 - 4 1/2 INCH DIAMETER					
73-0027	4.0	4.5	2500	A	\$5.25
5 - 5 1/2 INCH DIAMETER					
73-0025	3.0	4.0	None	A	7.10
36-1404	4.4	4.0	None	D	6.40
36-1189	4.6	4.0	None	B	6.50
36-1183	5.25	4.0	None	D	6.40
6 - 6 1/2 INCH DIAMETER					
36-1105	0.95	6.0	6600	D	4.00
36-1098	1.0	6.0	None	C	6.50
36-1014	1.0	6.0	6400	C	7.00
73-0006	3.0	4.0	8300	A	4.50
73-0026	3.0	4.0	None	D	6.50
73-0024	3.0	4.0	None	D	6.45
36-1373	4.6	3.75	None	C	5.75
36-1203	4.6	3.75	None	C	6.00
36-1387	4.6	4.0	None	C	6.00
7 - 7 1/2 INCH DIAMETER					
36-1209	1.11	4.2	None	C	6.95
36-1177	1.25	4.2	None	A	6.95
36-1324A	1.25	4.2	None	C	6.00
36-1376	1.25	4.2	None	C	5.75
36-1032	1.25	4.2	12500	C	8.00
73-0058	3.0	4.0	None	B	7.25
73-0054	3.0	4.0	None	C	7.50
36-1411	3.0	4.0	None	C	5.75
73-0030	3.0	4.0	None	D	6.75
73-0036	3.0	4.0	None	D	5.75
8 - 8 1/2 INCH DIAMETER					
36-1178	1.11	4.2	10000	C	10.25
73-0071	3.0	4.0	None	Oval 6"x9"	9.25

THE STANDARD PARTS FOR RADIO MANUFACTURERS SERVICE

PHILCO FILTER CHOKES

CHOKE COILS FOR EVERY PURPOSE

FILTER AND AUDIO CHOKES



A complete line of general replacement audio and filter chokes with accurately wound coils that are vacuum impregnated against moisture. The laminations are of high quality silicon steel. This complete assortment of values and sizes meets the requirements of radio receivers of any make or model.

COMPLETE LISTING

Part No.	Inductance Henries	D.C. Res. Ohms	D.C. M.A.	Height	Width	Depth	List Price
4886	0.5	11.5	400	2 1/4	1 3/8	3	\$1.75
5643	3.5	150	120	2 3/8	2 7/8	1 7/8	2.50
32-7254	4	185	60	2	2 1/2	1 3/8	1.50
65-0160	4	140	40	1 7/8	2 1/2	1 3/8	1.40
32-7056	4.75	80	150	3 1/8	2 1/4	2 7/8	3.30
32-7943	5	325	50	2	1 1/4	1 1/2	1.50
32-7115	5.25	170	125	2 7/8	2 1/4	2 3/8	2.40
32-7543	7	150	50	2 3/8	2 7/8	1 3/4	1.60
32-7960	7	375	40	1 7/8	2 1/2	1 3/8	1.50
4819	7.2	285	120	2 1/4	2 7/8	1 7/8	1.65
32-7545	7.5	400	50	1 3/4	2 1/2	1 3/4	1.35
32-7811	7.5	400	50	2	2 1/2	1 3/4	1.50
3422	8.5	200	105	3 3/8	2 5/8	2 3/8	3.50
32-7668	11	400	35	2	2 1/2	1 3/4	1.80
3078	15	285	60	2 7/8	2 3/4	2	4.00
32-7213	17	400	60	2 3/8	2 3/8	2 1/4	2.40
32-7210	25	750	25	2 7/8	2 7/8	1 7/8	3.00
3472	27	1260	40	3 1/4	2 5/8	2 3/8	5.00
5314	50	4600	5	2 3/8	2 3/4	1 5/8	3.00
32-7667	65	2250	10	2	2 1/2	1 3/4	2.40
3518	68	5000	5	2 1/4	2 3/4	2	4.50
5930	100	1800	10	2 3/8	2 7/8	1 5/8	2.35

R.F. CHOKES FOR ANTENNA CIRCUITS, ETC.

LOW VOLTAGE — FINE WIRE

Part No.	No. of Turns	Wire Size	Mtg. Type	Inductance Microhenries	List Price
65-0283	12 1/2	32	mtg. hole	—	\$.25
32-1382	12 1/2	32	mtg. screw	—	.35
65-0340	26	34	mtg. hole	—	.25
65-0184	28 1/2	30	mtg. hole	—	.25
32-2242	32	34	cyl. tube	17.5	.50
32-3558	34	32	cyl. tube	7.7	.60
65-0337	89	38	cyl. tube	38.5	.35
32-1842	—	—	1 7/8" long	2200.	.50

Valuable in reducing ignition interference caused by antenna or lead-in pick-up in automobile receivers.

R.F. AND "A" BATTERY CHOKES

R.F. CHOKES FOR "B" SUPPLY CIRCUITS

HONEYCOMB TYPE WINDING
HIGH VOLTAGE — FINE WIRE

Part No.	Inductance Microhenries	Type Mounting	List Price
03893	840	centrehole	\$.45
32-1932	965	mtg. hole	.40

Useful for auto radio, home radio and experimental work.

R.F. CHOKES FOR "A" BATTERY AND VIBRATOR CIRCUITS

LOW VOLTAGE — HEAVY WIRE

WOUND ON SPOOLS

Part No.	No. of Turns	Wire Size	Mtg. Type	List Price
32-1368	11 1/2	16	mtg. hole	\$.40
32-1933	39	16	mtg. screw	.45
32-2039	39	16	mtg. hole	.45

Designed to reduce "hash" from vibrators, and low-tension ignition interference in automobile radios.

"A" BATTERY CHOKES

HEAVY WIRE — HOLLOW TUBE WINDING

Part No.	No. of Turns	Wire Size	Inside Diám.	No. of Layers	List Price
65-0248	12	16	1/2"	1	\$.20
65-0158	12	20	1/2	1	.20
32-2038	20	16	3/8	1	.20
65-0296	22	16	1/4	1	.25
65-0151	32	16	17/32	4	.35
65-0398	65	16	1/4	2	.40

For use in reducing vibrator "hash" in automobile radios.

"A" LEAD FILTERS

To Reduce Ignition Interference

Part No.	Description	List Price
32-1534	Choke plus .00025 and 0.5 condensers	\$3.30

Designed especially to reduce ignition interference brought in by the "A" lead-in automobile radio.

ANTENNA LEAD FILTER

Part No.	Description	List Price
65-0030	9.8 heavy choke plus .01 condenser	\$.55

Particularly helpful in tough cases of Antenna interference pick-up in automobile radios.

THE STANDARD PARTS FOR RADIO MANUFACTURERS SERVICE

PHILCO PARTS CATALOG PRICE LIST

PRICES OF ALL PARTS LISTED IN SECTIONS VIII and IX

Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price		
2528	\$2.00	7467	1.40	25-0022	2.50	28-8169	1.80	30-2029	2.25	30-4189	.90	32-7171	8.75
2564	2.00	7558	1.35	25-0023	2.75	28-8170	1.80	30-2030	1.95	30-4204	1.00	32-7178	2.00
2565	2.25	8046	5.75	25-0024	3.00	28-8181	1.70	30-2045	2.10	30-4208	1.00	32-7180	4.50
2580	1.75	8047	6.75	25-0027	1.95	28-8182	1.70	30-2046	2.10	30-4212	.75	32-7205	2.50
2585	2.25	8054	1.15	25-0029	1.95	28-8188	1.30	30-2056	1.20	30-4217	P.O.A.	32-7214	1.50
2590	2.25	8165	1.95	25-0030	1.95	28-8198	1.30	30-2069	1.95	30-4233	.75	32-7223	2.00
2593	1.70	8166	1.35	25-0032	1.95	28-8201	2.90	30-2072	3.50	30-4243	.90	32-7226	6.25
2598	2.00	02625	1.75	25-0033	P.O.A.	28-8202	2.90	30-2073	2.85	30-4251	.75	32-7227	8.00
2660	1.50	02761	4.00	25-0034	P.O.A.	28-8206	1.70	30-2078	3.30	30-4253	1.50	32-7245	P.O.A.
2673	2.25	02765	P.O.A.	25-0038	P.O.A.	28-8214	1.75	30-2079	2.40	30-4313	P.O.A.	32-7283	9.50
2706	2.50	02782	P.O.A.	25-0043-2	P.O.A.	28-8218	2.90	30-2105	2.50	30-4318	.75	32-7284	11.25
2707	5.00	02784	P.O.A.	25-0046	P.O.A.	28-8219	2.90	30-2107	1.95	30-4332	.90	32-7286	2.60
2764B	P.O.A.	02794	7.20	27-4456	.20	28-8226	1.70	30-2109	3.00	30-4343	P.O.A.	32-7291	9.25
2766	2.25	02795	4.50	27-5006	.40	28-8227	1.60	30-2117	1.50	30-4344	.75	32-7292	12.50
3001B	P.O.A.	02803	6.40	27-5022	.50	28-8241	1.30	30-2118	2.25	30-4378	.90	32-7309	2.00
3047	.20	02819	6.50	27-5023	.25	28-8242	1.30	30-2121	3.00	31-1005	5.75	32-7318	2.00
3073	8.50	02822	9.00	27-5027	.40	28-8268	1.25	30-2122	2.25	31-1025	.50	32-7347	1.50
3076	1.65	02861	1.75	27-5034	.35	28-8269	1.05	30-2123	2.15	31-1066	.75	32-7381	5.25
3106	13.00	02887	1.25	27-5038	.50	28-8317	1.30	30-2126	2.10	31-1084	.50	32-7382	6.50
3108	P.O.A.	02971	8.50	27-5040	.40	28-8318	1.30	30-2127	1.95	31-1090	.50	32-7384	7.25
3246	4.00	02996	1.25	27-5041	.40	28-8319	1.30	30-2132	.85	31-1107	1.40	32-7385	8.75
3278	11.00	02999	P.O.A.	27-5051	.30	28-8320	1.30	30-2134	2.30	31-1122	5.50	32-7402	7.00
3279	10.00	03011	.40	27-5073	.30	28-8322	2.15	30-2145	2.25	31-1162	1.50	32-7403	10.50
3376D	16.00	03031	.75	27-5078	.35	28-8323	2.15	30-2149	1.95	31-1205	.75	32-7431	7.50
3376E	16.00	03322	.75	27-5084	P.O.A.	28-8331	1.40	30-2150	1.95	31-1208	.65	32-7432	13.00
3398	.65	03430	.15	27-5086	.15	28-8332	1.40	30-2158	.90	31-1234	.50	32-7440	9.00
3400	7.50	03459	P.O.A.	27-5095	.25	28-8336	1.60	30-2160	3.50	31-1275	1.35	32-7441	12.10
3401	12.00	03487	P.O.A.	27-5097	.35	28-8338	1.30	30-2161	1.95	31-1276	1.65	32-7446	2.25
3480B	14.00	03890	.75	27-5098	.35	28-8339	1.30	30-2162	1.80	31-1279	1.60	32-7495	1.50
3515	P.O.A.	03915	1.65	27-5103	.50	28-8341	1.30	30-2163	2.40	31-1280	1.55	32-7507	1.50
3516	7.50	03945	1.85	27-5107	.60	28-8354	1.75	30-2167	2.60	31-1363	1.00	32-7552	4.25
3528	1.45	04031	.75	27-5115	.50	28-8355	2.00	30-2168	2.10	31-1408	.50	32-7553	6.25
3572	P.O.A.	04093	8.00	27-5140	.50	28-8359	1.70	30-2169	2.10	31-1421	P.O.A.	32-7567	1.60
3651	10.00	04354	1.65	27-5152	.40	28-8360	2.00	30-2171	2.10	31-1471	.55	32-7583	6.00
3652	11.00	04787	1.00	27-5165	.40	28-8435	1.50	30-2179	2.10	31-1563	2.15	32-7584	9.00
3752	10.00	04832	.60	27-5193	.25	28-8437	1.30	30-2183	2.40	31-1643	.80	32-7597	7.40
3753	14.00	04835	.40	27-5196	.60	28-8438	1.30	30-2184	1.45	31-1863	.50	32-7598	10.50
3754	10.00	04836	.75	27-5203	.70	28-8439	1.50	30-2200	1.80	31-1871	.85	32-7606	9.00
3755	14.00	05153	.70	27-5205	.70	28-8440	1.50	30-2201	2.00	31-1879	1.00	32-7607	12.00
3790	2.00	05174	.70	27-5210	.35	28-8445	1.70	30-2203	1.95	31-1925	.10	32-7626	6.00
3794	.30	05231	P.O.A.	27-5213	1.00	28-8446	1.70	30-2210	1.50	31-2059	3.25	32-7627	7.15
3868	10.00	05324	1.50	27-5214	.65	28-8447	1.30	30-2212	1.25	31-2072	1.30	32-7634	P.O.A.
3869	11.50	05366	.95	27-5240	P.O.A.	28-8491	1.80	30-2217	2.05	31-2097	.30	32-7638	1.95
3870	12.00	05418	1.00	27-5243	.20	28-8492	1.80	30-2219	1.95	31-2137	.30	32-7639	2.10
3879	1.15	05811	.85	27-5247	.40	28-8495	1.65	30-2224	P.O.A.	31-2279	.25	32-7640	9.75
4016A	.30	06697	.70	27-5248	.35	28-8497	2.50	30-2225	P.O.A.	31-2283	.40	32-7641	13.25
4020A	.35	06698	.85	27-5271	1.25	28-8542	2.50	30-2226	3.60	31-2289	.25	32-7682	3.75
4056	1.15	06766	P.O.A.	27-5283	1.25	28-8543	P.O.A.	30-2228	3.00	31-2292	P.O.A.	32-7684	2.10
4067	P.O.A.	07-0012	.50	27-5285	.75	28-8552	1.30	30-2232	2.75	31-2292-01	.15	32-7688	11.00
4069E	P.O.A.	07-0050	P.O.A.	27-5327	.80	28-8553	1.30	30-2235	1.35	31-2293	.25	32-7689	16.50
4093	1.15	07-0055	.75	27-5340	1.25	28-8556	.95	30-2236	1.00	31-2298	.35	32-7699	11.25
4094	2.00	07-0061	.75	27-5347	.25	28-8557	1.05	30-2243	1.80	31-2315	P.O.A.	32-7700	16.00
4118	.60	07-0062	P.O.A.	27-5352	.75	28-8662	1.20	30-2257	1.80	31-2316	.35	32-7717	P.O.A.
4139	.35	10-0001	2.00	27-5356	.75	28-8666	1.10	30-2258	1.95	31-2318	.25	32-7721	1.85
4209B	.40	10-0003	2.00	27-5357	.75	28-8667	1.10	30-2295	2.50	31-2321	.50	32-7751	3.00
4234	7.50	10-0004	P.O.A.	27-5358	1.35	28-8668	1.10	30-2311	1.50	31-2350	.30	32-7754	2.00
4235	5.00	10-0005	.85	27-5386	.75	28-8674	1.25	30-2315	2.00	31-2358	.05	32-7758	2.25
4268	12.00	10-0008	1.45	27-5399	.20	28-8675	1.05	30-2319	1.60	31-2380	.20	32-7765	2.50
4276	.30	10-0009	2.50	27-5403	.45	28-8676	1.05	30-2323	2.00	31-2382	.30	32-7778	2.00
4446	8.00	10-0010	1.25	27-5421	1.00	28-8695	1.25	30-2326	1.00	31-2383	.10	32-7815	1.85
4447	12.00	10-0011	P.O.A.	27-5428	1.65	28-8696	1.25	30-2330	1.00	31-2387	.15	32-7817	1.75
4461	.60	11-0004	P.O.A.	27-5505	.20	28-8699	1.15	30-2331	1.20	31-2392	.35	32-7826	4.50
4463	2.00	12-0001	5.00	27-5507	.35	28-8700	2.75	30-2333	1.20	31-2393	.15	32-7833	6.00
4505	2.50	12-0002	4.00	27-5508	1.00	28-8701	2.75	30-2334	.85	31-2394	.20	32-7837	7.25
4705	1.80	12-0005	5.75	27-5511	.25	28-8704	2.75	30-2335	1.65	31-2399	.30	32-7862	2.20
4916	1.75	12-0006	6.25	27-5513	1.15	28-8714	1.15	30-2356	1.50	31-2400	.15	32-7867	5.50
4938	10.00	12-0009	6.25	27-5516	.40	28-8740	1.35	30-2359	.60	31-2411	.10	32-7869	8.75
4939	14.00	12-0010	8.50	27-5517	.40	28-8762	1.35	30-2360	1.30	31-2441	.25	32-7870	16.25
5039	2.00	12-0011	7.50	27-5519	.55	28-8763	1.35	30-2361	1.20	31-2442	P.O.A.	32-7904	1.95
5117	5.00	12-0012	7.50	27-5520	.20	28-8764	.85	30-2366	1.00	31-2444	6.35	32-7909	2.25
5118	8.50	12-0013	6.50	27-5536	.20	28-8765	.95	30-2388	1.60	31-2445	.70	32-7928	.75
5142	1.65	12-0014	1.75	27-5538	.30	28-8779	1.35	30-2391	1.60	31-2458	.40	32-7932	1.75
5232	2.00	12-0015	P.O.A.	27-5542	.35	28-8780	1.35	30-2396	.75	31-2460	.40	32-7937	1.50
5266	6.00	12-0016	P.O.A.	27-5559	.35	28-8781	.75	30-2400	1.80	31-2463	.45	32-7941	7.50
5267	7.50	12-0026	P.O.A.	27-5564	P.O.A.	28-8782	.90	30-2401	.75	31-2473	.30	32-7942	2.50
5317	2.00	12-0027	4.50	27-5565	.20	28-8783	1.40	30-2402	1.75	31-2475	.45	32-7946	1.75
5362	9.00	12-0031	P.O.A.	27-5566	.20	28-8784	1.40	30-2405	1.35	31-2477	.25	32-7955	P.O.A.
5363	12.75	12-0032	P.O.A.	27-5567	1.65	28-8784	1.35	30-2406	1.10	31-2487	P.O.A.	32-7956	1.75
5594	8.00	12-0033	P.O.A.	27-5573	.35	28-8790	1.25	30-2409	.90	31-2488	.25	32-7961	1.75
5595	11.50	12-0034	P.O.A.	27-5578	.40	28-8791	1.35	30-2412	1.90	31-2496	P.O.A.	32-7974	4.00
5785	4.00	12-0036	P.O.A.	27-5579	.40	28-8792	1.35	30-2413	1.40	31-2502	.30	32-7975	6.00
5786	6.00	12-0037	P.O.A.	27-5581	.40	28-8798	1.60	30-2445	1.40	31-2504	P.O.A.	32-7976	4.50
6015	1.15	12-0042	P.O.A.	27-5583	1.90	28-8813	1.60	30-2449	1.80	31-2516	.25	32-7978	1.50
6043	4.00	18-0043	P.O.A.	27-5586	1.50	28-8814	1.65	30-2453	1.15	31-2529	.30	32-7980	1.30
6109	1.35	12-0044	P.O.A.	27-5590	.60	28							

PHILCO PARTS CATALOG PRICE LIST

PRICES OF ALL PARTS LISTED IN SECTIONS VIII and IX

Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price	Part No.	List Price		
32-8074	7.45	33-5304	P.O.A.	36-1201	P.O.A.	36-1510	6.00	36-4158-2	2.25	42-5802	.30	67-0026	1.95
32-8075	7.50	33-5306	1.35	36-1203	6.00	36-1510-2	6.00	36-4159-2	3.00	42-5803	.70	67-0027	1.95
32-8076	8.25	33-5310	1.95	36-1208	18.50	36-1511-3	P.O.A.	36-4160	3.25	42-5826	.70	67-0028	1.95
32-8080	13.00	33-5313	1.20	36-1209	8.65	36-1512	P.O.A.	36-4169	3.00	42-5829	P.O.A.	67-0032	1.35
32-8086	7.45	33-5314	2.00	36-1220	P.O.A.	36-1513	9.35	36-4172-4	2.25	42-5844	.60	67-0032-1	P.O.A.
32-8096	1.70	33-5319	1.35	36-1224	P.O.A.	36-1513-2	9.35	36-4174	2.25	42-5850	5.25	67-0032-2	P.O.A.
32-8098	P.O.A.	33-5321	1.95	36-1226	6.75	36-1513-4	9.35	36-4184	2.25	45-1344	1.25	67-0035	2.95
32-8100	1.80	33-5325	1.35	36-1227	P.O.A.	36-1514	10.50	36-4190	2.25	45-1407	.50	67-0037	2.20
32-8105	1.55	33-5331	1.95	36-1228	9.50	36-1514-2	10.50	36-4193	P.O.A.	45-2062	2.25	67-0038	P.O.A.
32-8107	1.65	33-5332	1.50	36-1229	P.O.A.	36-1515-2	12.75	36-4194	P.O.A.	45-2065	2.00	67-0039	2.20
32-8115	9.00	33-5333	1.70	36-1230	8.50	36-1515-8	10.95	36-4280	2.00	45-2149	.90	67-0040	2.70
32-8116	1.50	33-5336	2.15	36-1236	P.O.A.	36-1519	7.15	38-5519	1.50	45-2150	.50	67-0042	2.20
32-8117	5.25	33-5347	1.35	36-1237	9.50	36-1523-2	11.25	38-5534	2.20	45-2153	.10	67-0044	2.20
32-8119	1.75	33-5389	2.20	36-1239	9.00	36-1526-2	7.50	38-5606	2.00	45-2154	.15	73-0006-2	P.O.A.
32-8120	1.90	33-5390	2.20	36-1248	12.75	36-1528-4	P.O.A.	38-5851	2.00	45-2156-01	.60	73-0007	7.15
32-8121	6.00	33-5391	1.50	36-1250	13.50	36-1529	9.00	38-5935	P.O.A.	45-2156-02	.15	73-0008	7.00
32-8122	5.75	33-5392	1.50	36-1253	P.O.A.	36-1532	4.95	38-6022	2.00	45-2315	1.50	73-0009	6.50
32-8123	1.75	33-5393	2.20	36-1254	9.50	36-1533C	6.75	38-6297	2.35	45-2342	3.00	73-0024-2	6.45
32-8130	P.O.A.	33-5394	P.O.A.	36-1256	7.25	36-1536	P.O.A.	38-6605	1.85	45-2364	1.85	73-0024-3	6.45
32-8131	P.O.A.	33-5398	2.20	36-1260	16.50	36-3014	1.25	38-6786	1.75	45-2382	P.O.A.	73-0025-2	7.10
32-8132	6.00	33-5402	1.50	36-1261	14.50	36-3029	1.65	38-7684	P.O.A.	45-2469	1.25	73-0026	6.50
32-8133	P.O.A.	33-5403	1.50	36-1266	12.75	36-3039	3.50	38-7693	2.70	45-2476	2.30	73-0027-1	5.25
32-8139	1.90	33-5404	1.50	36-1267	6.00	36-3046	4.25	38-7968	2.50	45-2607	2.00	73-0027-2	5.25
32-8164	P.O.A.	33-5407	2.10	36-1279	8.75	36-3088	13.50	38-9102	.20	45-2608	1.95	73-0030-2	6.75
32-9236	1.10	33-5408	1.50	36-1289	P.O.A.	36-3097	5.00	38-9324	P.O.A.	45-2653	3.50	73-0030-3	6.75
32-9263	1.50	33-5430	1.35	36-1290	12.75	36-3104	5.25	42-1119	.70	55-0010	.40	73-0036-2	5.75
32-9484	1.50	33-5431	P.O.A.	36-1293	P.O.A.	36-3115	.95	42-1139	.65	55-0068	.35	73-0036-3	5.75
32-9566	1.75	33-5434	2.20	36-1296	9.50	36-3130	5.25	42-1140	.60	55-0387	P.O.A.	73-0038-2	6.10
32-9564	1.50	33-5438	1.50	36-1297	P.O.A.	36-3140	5.25	42-1145	.75	55-0581	.50	73-0038-4	P.O.A.
32-9574	1.75	33-5439	P.O.A.	36-1298	9.50	36-3157	5.25	42-1146-2	.75	55-0777	.50	73-0039-2	P.O.A.
32-9576	1.75	33-5444	1.65	36-1299	9.25	36-3159	1.25	42-1156	.35	55-0892	P.O.A.	73-0039-4	P.O.A.
32-9578	1.75	33-5465	1.50	36-1300	P.O.A.	36-3170	1.75	42-1157	.35	55-0821	.10	73-0045-2	7.15
32-9580	1.90	36-1004	P.O.A.	36-1314	9.00	36-3174	1.25	42-1160	.40	55-0844	.10	73-0045-3	7.15
32-9582	1.95	36-1006	9.00	36-1319	P.O.A.	36-3218	5.50	42-1180	1.50	55-0937	.40	73-0047	7.15
32-9584	2.25	36-1009	P.O.A.	36-1324	12.50	36-3239	5.25	42-1182	1.00	55-0950	.40	73-0047-2	7.15
32-9585	2.45	36-1012	6.00	36-1337	11.50	36-3243	4.50	42-1184	1.50	55-0993	.45	73-0047-3	7.15
32-9587	P.O.A.	36-1013	P.O.A.	36-1338	6.00	36-3245	P.O.A.	42-1196	1.50	55-1012	P.O.A.	73-0050-2	P.O.A.
33-5000	1.15	36-1016	P.O.A.	36-1347	5.00	36-3262	P.O.A.	42-1207	1.45	55-1034	P.O.A.	73-0050-4	P.O.A.
33-5002	1.15	36-1018	6.00	36-1351	P.O.A.	36-3298	4.00	42-1225	.65	55-1143	.55	73-0052-2	7.15
33-5004	1.35	36-1019	P.O.A.	36-1353	P.O.A.	36-3352	P.O.A.	42-1242	1.50	55-1151	P.O.A.	73-0053-2	5.65
33-5005	1.35	36-1021	12.00	36-1356	12.00	36-3381	2.50	42-1267	P.O.A.	55-1173	.35	73-0054	7.50
33-5006	1.35	36-1025	P.O.A.	36-1384	6.50	36-3405	4.50	42-1268	1.50	55-1182	.35	73-0054-2	7.50
33-5009	2.00	36-1026	8.50	36-1388	5.00	36-3406	.90	42-1273	1.00	55-1194	.45	73-0054-3	P.O.A.
33-5011	1.35	36-1027	6.50	36-1368-01	2.50	36-3407	5.25	42-1277	.60	57-0116	P.O.A.	73-0054-4	7.50
33-5020	1.35	36-1031	P.O.A.	36-1369	6.00	36-3411	P.O.A.	42-1318	.55	57-0117	P.O.A.	73-0058-2	P.O.A.
33-5024	1.35	36-1034	6.75	36-1373	5.75	36-3474	.20	42-1326	1.50	57-0425	1.20	76-2327	2.75
33-5025	1.35	36-1036	12.50	36-1376	5.75	36-3495	4.50	42-1345	1.25	57-0467	1.25	77-0026	.35
33-5055	1.35	36-1037	P.O.A.	36-1401	6.75	36-3498	5.25	42-1347	P.O.A.	57-0468	1.50	77-0098	.50
33-5056	2.05	36-1046	P.O.A.	36-1404	6.40	36-3506	5.50	42-1349	1.50	57-0491	1.90	77-0099	.45
33-5064	1.35	36-1048	P.O.A.	36-1411	5.75	36-3513	P.O.A.	42-1357	.50	57-0651	.15	77-0175	P.O.A.
33-5065	1.65	36-1058	8.75	36-1423-3	P.O.A.	36-3526	1.10	42-1364	1.00	57-0716	.10	77-0233	.35
33-5067	2.00	36-1059	P.O.A.	36-1426-1	P.O.A.	36-3540	1.25	42-1368	.50	57-0802	.10	77-0323	P.O.A.
33-5088	2.00	36-1064	9.25	36-1426-3	P.O.A.	36-3557	1.75	42-1369	.50	57-1384	1.35	77-0346	.25
33-5094	1.20	36-1065	9.00	36-1429	6.00	36-3578	P.O.A.	42-1374	1.85	57-1385	.35	77-0352	P.O.A.
33-5097	1.35	36-1066	P.O.A.	36-1429-2	6.00	36-3586	1.15	42-1377	1.00	57-1386	.35	77-0403	.40
33-5101	1.00	36-1067	8.75	36-1430	5.00	36-3597	4.00	42-1383	1.25	57-1679	.40	77-0442	.45
33-5105	1.35	36-1069	P.O.A.	36-1432-3	P.O.A.	36-3609	3.75	42-1389	1.10	61-0009	2.25	77-0526	P.O.A.
33-5106	1.35	36-1071	6.50	36-1437	9.00	36-3627	1.50	42-1399	.85	61-0012	2.50	77-0733	P.O.A.
33-5120	1.35	36-1081	P.O.A.	36-1439	7.10	36-3631	2.50	42-1406	.45	61-0018	2.00	83-0035	P.O.A.
33-5121	1.50	36-1082	P.O.A.	36-1440	9.35	36-3647	3.25	42-1406-6	P.O.A.	61-0024	P.O.A.	85-0009	.65
33-5139	1.20	36-1084	P.O.A.	36-1443	5.50	36-3665	5.50	42-1444	1.00	61-0028	1.25	85-0010	.45
33-5141	.90	36-1086	9.00	36-1449	8.25	36-3687	5.50	42-1520	1.50	61-0050	1.50	85-0020	.95
33-5142	1.35	36-1087	8.50	36-1450	12.00	36-3690	4.50	42-1574	.75	61-0068	1.70	85-0030	P.O.A.
33-5148	1.20	36-1091	9.50	36-1451	9.00	36-3716	3.50	42-1614	.75	61-0072	1.95	85-0040	P.O.A.
33-5150	P.O.A.	36-1094	P.O.A.	36-1451-3	9.00	36-3787	P.O.A.	42-5125	1.75	61-0076	1.70	85-0042	P.O.A.
33-5152	1.35	36-1097	P.O.A.	36-1452	7.10	36-3788	19.50	42-5130	.70	61-0086	1.70	85-0052	.40
33-5153	1.35	36-1098	6.50	36-1453	9.75	36-3796	P.O.A.	42-5166	.35	61-0089	1.70	85-0091	.35
33-5154	1.15	36-1100	9.50	36-1468	P.O.A.	36-3801	P.O.A.	42-5173	.70	61-0150	1.80	85-0093	.20
33-5155	1.35	36-1101	6.00	36-1469	4.00	36-3823	P.O.A.	42-5175	.50	65-0020	1.75	85-0097	5.05
33-5157	1.15	36-1105	4.00	36-1477-3	P.O.A.	36-3824	1.25	42-5208	.50	65-0024	1.75	85-0104	1.15
33-5158	1.15	36-1111	40.00	36-1478-2	4.75	36-3941	P.O.A.	52-5302	.60	65-0048	1.90	85-0106	.80
33-5165	1.15	36-1116	P.O.A.	36-1478-3	4.75	36-3981	2.50	42-5336	.55	65-0053	2.10	85-0111	.60
33-5166	1.15	36-1118	6.50	36-1479	P.O.A.	36-4012	1.50	42-5362	.65	65-0077	2.00	85-0112	.45
33-5169	1.35	36-1121	10.25	36-1480	9.35	36-4083	P.O.A.	42-5408	.40	65-0147	1.50	85-0126	.75
33-5192	1.75	36-1124	10.50	36-1481	6.75	36-4085	1.95	42-5422	.50	65-0162	2.50	85-0128	.75
33-5202	1.25	36-1127	P.O.A.	36-1482-3	P.O.A.	36-4086	2.30	42-5423	P.O.A.	65-0180	2.50	85-0131	.75
33-5206	1.15	36-1128	12.75	36-1483-2	P.O.A.	36-4087	3.00	42-5437	P.O.A.	65-0221	1.90	91-0028	1.50
33-5215	1.15	36-1129	9.00	36-1483-3	6.75	36-4088	3.00	42-5454	.55	65-0235	2.20	91-0041	1.65
33-5216	1.15	36-1136	8.00	36-1488	11.25	36-4089	3.25	42-5466	.65	65-0277	1.70	91-0042	3.50
33-5225	1.15	36-1137	P.O.A.	36-1490-2	6.10	36-4090	1.95	42-5469	P.O.A.	65-0279	1.35	91-0047	P.O.A.
33-5226	1.25	36-1141	10.50	36-1490-9	6.10	36-4098	1.95	42-5493	.60	65-0295	2.35	91-0053	P.O.A.
33-5227	1.25	36-1143	P.O										